

# 沿峰精密工業股份有限公司 Yean Fung Precision Industries Corp





專業精密鑄造、脫臘鑄造 通過ISO9001品質認證 **Lost Wax Casting** 



準時交貨

# 關於沿峰 About Us

沿峰精密鑄造有限公司成立於1992年,資本額70萬美元,廠地面積6,000 m²,員工人數70人,現有脫臘精密鑄造生產線,年產精密鑄件720公噸,現有資產400萬美元。公司擁有豐富的生產經驗,結合專業技術與精密設備,能為客戶提供滿意的服務。

Yean Fung Precision Industries Corporation is established in 1992, the capital of US \$700,000. It covers a total area of  $6000 \, m^2$  and now has more than 70 employees. The manufactory equipped with lost wax casting existing production lines, we specialize in producing precise lost wax casting, an annual production capability of up to 720 tons of precision casting products, the existing assets of US \$4,000,000. The company has rich experience in production, combined with technical expertise and sophisticated equipment, can provide customers with satisfactory service.

我們擁有多年的生產經驗,只要您提供設計圖或構想,我們可為您提供3D繪圖→逆向工程 掃描(ATOS) →CNC或RP樣品→估價→開發模具→生產零件→組裝成品→檢驗測試→包裝 出貨→售後服務。提供最好的品質,迅速的交貨,低廉(合理)的價格。我們的脫臘鑄造生 產線,能為貴公司滿足現代產品輕、薄、短小、多功能、重量輕、強度高等要求,並嚴守 產品的保密責任。貴公司設計的產品可交由我們開模、製造,我們能受託付生產高品質、 高精密、高強度的產品,並就產品特性提供材料選擇、熱處理條件、表面處理等等建議, 使貴公司設計的產品更加完美。

We possess many years of experience, you provide the design or idea, we offer you including 3D graphics, valuation, production part, assembling products, product inspection and testing, packaging, and shipping service. We provide the best quality, prompt delivery, low and reasonable price to you. Our lost wax casting production line is able to satisfy customer the modern product in light, thin, short, multi-function, light weight, high strength, high precision requirement, and strictly confidential product. We produce according to customer's drawing or sample. The customer's products can be designed by our mold manufacturing; we can entrust to the production of high quality, high-precision, and high-strength products. And provide features and material selection, heat treatment conditions, surface treatment, etc. We would also advice on product features, designed to make the product more perfect the customers. With above advance facilities, as a casting company, we're able to assure to supply the precise finished products to our customers, and make the products meet their overall inspection requirement.

# 經營理念 Business Philosophy

品質第一、技術躍進、效率第一、準時交貨 Quality first、Technological advances、Hight efficiency、On time deliver

# 品質認證 Quality Certification

榮獲多項認證並通過 ISO9001 品質認證 榮獲經濟日報推舉年度最佳脫臘鑄造廠

We have received a number of certification and passed ISO9001 quality certification

# 尺寸公差表 Dimensional Tolerances

| Dimensions(尺寸範圍) | 0-3mm  | 3-6mm  | 6-10mm | 10-18mm | 18-30mm | 30-50mm | 50-80mm | 80-120mm | 120-180mm | 180-250mm | 250-350mm |
|------------------|--------|--------|--------|---------|---------|---------|---------|----------|-----------|-----------|-----------|
| Tolerance(公差範圍)  | ±0,100 | ±0.125 | ±0.15  | ±0.18   | ±0.215  | ±0.3    | ±0.4    | ±0.5     | ±0.6      | ±0.8      | ±1.2      |

# 角度公差表 Angle Tolerance

通常±1°, 勿小於1/2° Usually ± 1°, not less than 1/2°


# 内外R角 Inside and Outside R Angle

- 1. 增加鑄件機械性能 Increase casting mechanical properties
- 2. 較佳的鑄造流動性 Better casting fluidity
- 3. 理想R角0.5mm~1.5mm Best Rangle 0.5mm~1.5mm

# 鑄造材質 Applicable Materials

| 不鏽鋼<br>Stainless Steel |      | 碳鋼<br>Carbon Steel |      | 金鋼<br>y Steel | 工具鋼<br>Tool Steel |      |        |  |
|------------------------|------|--------------------|------|---------------|-------------------|------|--------|--|
| 302B                   | 316  | S25C               | 4140 | 8640          | A-2               | M-42 | S-5    |  |
| 303                    | 316L | S45C               | 4340 | 8660          | D-2               | M-50 | S-7    |  |
| 304                    | 420  | S50C               | 6150 | 52100         | H-13              | 0-1  | SKS-4  |  |
| 304L                   | 440A | WCB                | 8620 | SCM415        | M-1               | 0-2  | SKS-42 |  |
| 17-4PH                 | 440C | (4)                |      |               | M-2               | S-2  |        |  |

# **Production Process**



# Main Production

- 一般五金零件 Hardware Tools Parts
- 機械零件 Machinery Parts
- 氣動工具零件 Pneumatic Tools Parts
- 運動器材零件 Sport Equipment Parts
- 釘槍零件 Nailer Parts
- 自行車零件 Bicycle Parts
- 食品零件 Food Processing Machine Parts
- 閥類製品 Valves Parts
- 自行車斷鏈工具組 Multi-function Portbale Bike Repair Tools Kit
- 鑄鐵壺 / 不鏽鋼壺 Cast Iron Teapot / Stainless Steel Teapot
- X型鋁合金拉環手機護套 X-hold Phone Cases









# Tool kit

### V-5 BIT WRENCH AND CHAIN TOOLS







#### PRODUCT FEATURES:

Ergonomic design and convenient breaking chain tool.

12 kinds of bits for changing.

Adjustable spoke wrench. Size: 3.30/3.45

WEIGHT: 147g

DIMENSIONS: 51 x 28 x 89 mm COLOR: Black, Red, Yellow & Green

#### MATERIAL

BIT: S2

CHAIN TOOL & BIT HOLDER: Cr Mo BODY: Aluminum alloy 6061 A1 T6

#### SIZE INCLUDED:

HEXAGON: H2, H2.5, H3, H4, H5, H6

PHILIP: PH1, PH2 SLOTTED: S5 TX: T10, T25, T27

CHANGE COSTOMIZED

MOQ:100 Pcs

### V-6 BIT WRENCH AND CHAIN TOOLS





#### PRODUCT FEATURES:

Ergonomic design and convenient breaking chain tool.

12 kinds of bits for changing.

Adjustable spoke wrench. Size:0 & 1(for 14G & 15G)

WEIGHT: 155.5g

DIMENSIONS: 49 x 28 x 86 mm COLOR: Black, Red, Yellow & Green

#### MATERIAL:



CHAIN TOOL & BIT HOLDER: Cr Mo BODY: Aluminum alloy 6061 A1 T6



HEXAGON: H2, H2.5, H3, H4, H5, H6

PHILIP: PH1, PH2 SLOTTED: S5 TX: T10, T25, T27





### N-35 RATCHET







#### PRODUCT FEATURES:

Convenient design.

12 kinds of bits for changing.

WEIGHT: 132g

DIMENSIONS: 28 x 28 x 97 mm COLOR: Black, Red, Yellow & Green

#### MATERIAL:

BIT: S2

CHAIN TOOL & BIT HOLDER: Cr Mo BODY: Aluminum alloy 6061 A1 T6

#### SIZE INCLUDED:

HEXAGON: H2, H2.5, H3, H4, H5, H6

PHILIP: PH1, PH2 SLOTTED: S5 TX: T10, T25, T27

STREAM RECUSTOMIZED

MOQ:100 Pcs

## N-45 RATCHET AND CHAIN TOOLS





#### PRODUCT FEATURES:

Angle adjustable ratchet head design, able to cope with a variety of parts to use, can quickly turn the screws loosen and tighten so much easier.

WEIGHT: 163g

DIMENSIONS: 36 x 28 x 105 mm COLOR: Black, Red, Yellow & Green

#### MATERIAL:



CHAIN TOOL & BIT HOLDER: Cr Mo BODY: Aluminum alloy 6061 A1 T6



HEXAGON: H2, H2.5, H3, H4, H5, H6

PHILIP: PH1, PH2 SLOTTED: S5 TX: T10, T25, T27





MOQ:100 Pcs

# Teapot

# YEAN FUNG IRONWARE

Stainless Steel Teapot

不鏽鋼壺系列

鑄鐵壺系列 Cast Iron Teapot

材質:鑄鐵



金雞報喜 容量: 1.7 L 重量: 3.4 KG



龍鳳呈祥 容量: 1.4 L 重量: 2.6 KG



材質:316

龍鳳呈祥 容量:1.4 L 重量: 2.7 KG



龍鳳呈祥 容量:1.4 L 重量: 2.7 KG



龍躍鳳鳴 容量:0.7L 重量: 1.24 KG



雙鳳報喜 容量:0.7L 重量: 1.24 KG



龍躍鳳鳴 容量:0.7L 重量: 1.24 KG



雙鳳報喜 容量:0.7L 重量: 1.24 KG




雙龍搶珠 容量:0.7 L 重量: 1.24 KG



雙龍搶珠 容量:0.7L 重量: 1.24 KG

鑄鐵壺藝代表常民生活藝術的提昇 不僅是台灣的傳統文藝復興 更是文創發展的新契機!


台灣鄉土藝術研究學會會長 東海大學、亞洲大學台灣鄉土藝術課程資深講座 周明 推薦





Facebook 粉絲專頁

# XHIELD



Outstanding Protection for

iPhone7/7Plus

iPhone6/6sPlus



Prevent Edge Damage 全方位四角防撞



Quick Install 3步驟快速安裝





Smart Ring 美型智慧拉環

### XHIELD X型鋁合金拉環手機殼

高強度鋁合金

日本高精度CNC加工生產

X型設計不妨礙鏡頭及按鈕和所有連接阜

台灣設計生產製造

高科技陽極表面處理

美型智慧拉環



PChome商店街 Tel:04-24939236 Fax:04-24937837

Email:yean.fung@outlook.com





# 沿峰精密工業股份有限公司 Yean Fung Precision Industries Corp.

41264 台中市大里區東南路15-2號

NO. 15-2, Dongnan Rd., Dali Dist., Taichung City 41264 Taiwan

TEL:+886-4-2493-9236 FAX:+886-4-2493-7837

E-MAIL:yean.fung@msa.hinet.net & yean.fung@outlook.com

http://www.yean-fung.com.tw

