

Summary for CLM-232XX-XX Series

In the 21 century , the technology development is growing faster and faster . The protections of electric devices are more and more important recently . CLM is involved in designing both good-looking and suitable cabinet / rack / wallmount for every kind of necessities of customers . And development of kinds of accessroies is growing faster and faster.



CLM-232xx-xxAA

19" 232XX SERIES WALLMOUNT



Applications

- Wallmount distribution
- Corridor distribution
- Office distribution
- Network distribution

Installation Type

Wallmount

Design Features

- Stable construction of the main frame by CLM's specific design
- Symmetrical frame
- Removable side panels & front door
- Removable roof panel & bottom panel
- Swingable side panels
- Swingable front door
- Cable management
- Passive ventilator

Benefits

- Integral passive ventilator
- 482.6mm(19") interior for mounting angles
- Interior additional hoels for installing accessories
- Depth variants
- Modular enclosure diversity with an extensive range of system accessories
- Easy assembled & dismantled.
- Particularly cost-effective complete system
- Saving warehouse space due to D.I.Y flat-package
- Attractive outlooking

Page I33~I60



CLM-232xx-xxAB

- Office distribution
- Mini-server racks
- Small business department
- Home workstation



CLM-232xx-xxAC

- Office distribution
- Mini-server racks
- Small business sector
- Home workstation



CLM-232xx-xxCA

- Wallmount distribution
- Corridor distribution
- Office distribution



CLM-232xx-xxCB

- Wallmount distribution
- Corridor distribution
- Office distribution

Floor type

Wallmount

Wallmount

Wallmount

- Stable construction of the main frame by CLM's specific design
- Symmetrical frame
- Removable side panels & Front door
- Removable roof panel & Bottom panel
- Swingable side panels
- Swingable front door
- Cable management
- Passive ventilator

- Stable construction of the main frame by CLM's specific design
- Symmetrical frame
- Removable side panels & Front door
- Removable roof panel & Bottom panel
- Swingable side panels
- Swingable front door
- Cable management
- Passive ventilator

- Symmetrical Frame
- Graceful Front Door
- Removable Side Panels & Front Door
- Unremovable Roof Panel & Bottom Panel
- Pull-out Side Panels
- Passive Ventilation Concept

- Symmetrical frame
- Vented front door
- Removable side panels & Front door
- Unremovable roof panel & Bottom panel
- Pull-out side panels
- Passive ventilation Concept

- Integral passive ventilator
- Optional fans on the additional fan-holes of the roof panel & rear door
- Suitable for office use
- 482.6mm(19") interior for mounting angles
- Interior additional hoels for installing accessories
- Depth variants
- Modular enclosure diversity with an extensive range of system accessories
- Easy assembled & dismantled.
- D.I.Y flat-package
- Attractive outlooking

- Integral passive ventilator
- Fixable on the wall panel
- 482.6mm(19") interior for mounting angles
- Interior additional hoels for installing accessories
- Depth variants
- Modular enclosure diversity with an extensive range of system accessories
- Easy assembled & dismantled.
- Cost-effective complete
- Saving warehouse space due to D.I.Y flat-package
- Attractive outlooking

- Integral passive ventilator
- Fixable on the wall panel
- 482.6mm(19") interior for mounting angles
- Interior additional hoels for installing accessories
- Depth variants
- Modular accessories
- Easy assembled & dismantled.
- Cost-effective complete
- Designed unity of roof panel , bottom panel & wall panel
- Not flat-package but complete package

- Integral passive ventilator
- Fixable on the wall panel
- 482.6mm(19") interior for mounting angles
- Interior additional hoels for installing accessories
- Depth variants
- Modular accessories
- Easy assembled & dismantled.
- Cost-effective complete
- Designed unity of roof panel , bottom panel & wall panel
- Not flat-package but complete package

Page I33~I60

Page I33~I60


Page I61~I70

Page I61~I70

Summary for CLM-232XX-XX A Series

Features :

- Applications for networking & communication system & monitoring system .
- Elegant design can be a wall decoration .
- The additional holes on the frame can be used for the cable management.
- Vented slots on the top panel , the bottom panel & the front door can efficiently reduce the interior heat for higher ventilation.
- Spring-load hinges for setting and removing the front door in one second.
- The sponges assembled on the cable entries can block dusty & keep cable from hurt.
- Design of roof panel & bottom panel for easily assembled & dismantled.
- Tempered glass fastened on a robust steel frame to become a secure front door out of block.
- Adequate loading of wallmount fasten on the wall .
- Powder coating for RoHS compliant .
- Black & Beige for color selections .



"One-second" design :
Dismantle the front door & side panels just by one click in one second.

Ground Type AB

P.P. I43~I50

Wallmount Type AA

P.P. I35~I42


Wallmount Type AC

P.P. I51~I57

"D.I.Y." exporting flat-package for saving long distance transportation and warehouse cost

19" 232XX SERIES WALLMOUNT

232xx-xxAA



Dimensions

Width	600 mm
Depth	250 mm , 300mm , 350mm , 400mm 450mm , 500mm , 550mm , 600mm , 650mm
Height	4U~24U

232xx-xxAB



Dimensions

Width	600 mm
Depth	600mm , 650mm , 700mm , 750mm 800mm , 850mm
Height	12U~24U



2
Cable entry :
 The sponge entry on panel can protect the outlooking of cable from scraped and dust outside.



Cool environment :
 Optional two fans on the roof panel can drop the interior temperature.




3
Set for kinds of rail :
 Many rails can be set on the F-shaped mounting angles .




The cable management :
 Let the cable management become quicker , safer & neater .



4
Passive Ventilator :
 The slots on the roof, bottom panels & front door for efficient heat-dissipation .



5
Wall Panel :
 Holes on the wall panel are used for something need to fixing on the wall panel ,like cable rings.



19" 232XX SERIES WALLMOUNT

232xx-xxAC



Dimensions


Width	600 mm
Depth	300mm , 350mm , 400mm , 450mm 500mm , 550mm , 600mm , 650mm
Height	6U~24U

232xx-xxAC Operations



Construction Overview CLM-232XX-XX A Series

19" 232XX SERIES WALLMOUNT



Brush Strips



M-shaped Fixer




Fan Variants



CLM-232xx-xx A Series Overview

19" Wallmount Rack for Distributors & Under Desk Mini Server

General Accessories(Optional)



1



10



19




2



11



20




3



12



21



4



13



22



5



14



23



6



15



24



7



16



25



8



17



26



9



18

Standard Equipment: (Included)

1.		
1-1	CLM-882403-6xx	Vented Tempered Glass Door..... I58
1-2	CLM-882225-6xx	Tempered Glass Door..... I58
1-3	CLM-882356-6xx	Vented Mesh Door..... I59
2.		
2-1	CLM-882227-xxxx	Main Frames..... I41, I49, I56
2-2	CLM-882404-xxxx	Main Frames(AB)..... I48
3.	CLM-612615-00	F-shaped mounting Angle..... I59

Standard Equipment: (Included)

1.		
1-1	CLM-882228-6xx	Bevel Flat Panel(AA)..... I41
1-2	CLM-882365-6xx	Vented Bevel Roof Panel(AB)..... I47
1-3	CLM-882366-6xx	Bevel Bottom Panel(AB)..... I47
1-4	CLM-882401-6xx	Vented Bevel Roof Panel(AC)..... I55
1-5	CLM-882402-6xx	Bevel Bottom Panel(AC)..... I55
2.		
2-1	CLM-882226-xxxx	Swing Side Panel(AA)(AB)..... I42, I48
2-2	CLM-882411-xxxx	Pull-out Side Panel(AC)..... I57
3.		
3-1	CLM-612613-02	Wall Hinge(AA)..... I42
3-2	CLM-612773-xx	Rear door(AC)..... I50
3-3	CLM-882405-xx	Wall panel.(AB)..... I56
4.	CLM-612537-xx	Strengthenign bar(AB)..... I49
5.		
5-1	CLM-662134-00	Light-Duty Rigid (Rear)(AB)..... I50
5-2	CLM-662131-00	Light-Duty(Front)(AB)..... I50



Standard Equipment: (Optional)

1.	CLM-882033	Overlapped Component shelf.....	K1
2.	CLM-882026	Adjustable Component shelf.....	K1
3.	CLM-882060	Vented & adjustable Component shelf	K1
4.	CLM-882104	Vented Fixed Component shelf.....	K2
5.	CLM-882025	Telescopic slide rails Slide-in Component shelf.....	K2
6.	CLM-882030	Drawer 1U,2U,3U.....	K2-K3
7.	CLM-612027	Sheet steel blanking panels.....	K18
	CLM-612001	Aluminum blanking panels.....	K18
8.	CLM-312002-17/30	Earth straps.....	K29
9.	CLM-512007	Cable wiring duct.....	K21
10.	CLM-612199	Cable shunting rings,steel.....	K19
11.	CLM-882054	3 Sections server rail with Brackets	K9-K17
	CLM-882053	3 Sections server rail with Brackets	K9-K17
	CLM-882052	2 Sections server rail with Brackets.....	K9-K17
	CLM-882051	2 Sections server rail with Brackets.....	K9-K17
12.	CLM-612030	Cable clamp rails.....	K20
13.	CLM-882089-00	cable shunting strips,.....	
14.	SSL-1024 HUB	24 port Nway switch for Rack mounting..	K5
	SSL-1104/SSL-1108/SSL-1116KVN.....		K5
15.	CLM-882061	Power Socket strip & mounting bracket.....	K30
16.	CLM-612274	Patch panels.....	K22-K17
17.	CLM-882066	Cable gland panel.....	K19-K20
18.	CLM-911/2	Keyboard drawer with keyboard with mouse with Telescopic slide rails.....	K4
19.	CLM-662097	Swelling Boon-Bolt hinger.....	K37
20.	CLM-882129	Component shelf.....	I9
21.	CLM-882142	Cabling management strip.....	K20
22.	CLM-882199	Cable shunting rings strip.....	K19
23.	CLM-662009	Shelf-tapping washers screw.....	K33-K40
24.	CLM-882003	Cage Nuts.....	K33-K40
25.	CLM-882170	1U Rack-mounted 3 fans	E65
	CLM-882171	1U Rack-mounted 6 fans with 1 Pair of Slide Rails.....	E65
	CLM-882046	Active fan 3U.....	E66
26.	CLM-882124-00	Earthing Kit.....	E68

CLM-23225-xxAA □
W600 X D250 X H(4U to 24U)

CLM-23230-xxAA □
W600 X D300 X H(4U to 24U)

CLM-23235-xxAA □
W600 X D350 X H(4U to 24U)



Component Parts	Num	Model No.
Roof & Bottom Panel	1	882228
Frame	2	882227
Vented Glass Door	1	882403
Side Panel	2	882226
Wall Hinger	2	612613
F-shaped mounting angle	2	612615
Washers of F-shaped	4	612590
Fixer for F-shaped & frame	2	612752
Self-tapping Screw 12#24	28	662127
Self-tapping Screw M4	4	662035-06
Self-tapping Washer Screw	12	612009-12
Cage Nut M6	12	882003-06

Dimension Table:

Total Unit(U)	4	5	6	7	8	9	10	11	12	13
Total Height (mm)	241.80	286.25	330.70	375.15	419.60	464.05	508.50	552.95	597.40	641.85
Width	600	600	600	600	600	600	600	600	600	600
Clearance Size (1U=44.45mm)	177.8	222.25	266.7	311.15	355.6	400.05	444.5	488.95	533.4	577.85
Model No.	CLM- 23225-04AA □	23225-05AA □	23225-06AA □	23225-07AA □	23225-08AA □	23225-09AA □	23225-10AA □	23225-11AA □	23225-12AA □	23225-13AA □
Depth =250	250	250	250	250	250	250	250	250	250	250
Shipping Dimension										
Complete	2.08	2.38	2.69	2.99	3.29	3.60	3.90	4.39	4.52	4.88
D.I.Y	1.55	1.55	1.65	1.91	2.24	2.24	2.25	2.25	2.29	2.59
G.W.										
Model No.	CLM- 23230-04AA □	23230-05AA □	23230-06AA □	23230-07AA □	23230-08AA □	23230-09AA □	23230-10AA □	23230-11AA □	23230-12AA □	23230-13AA □
Depth =300	300	300	300	300	300	300	300	300	300	300
Shipping Dimension										
Complete	2.42	2.77	3.13	3.49	3.84	4.20	4.55	5.13	5.28	5.71
D.I.Y	1.55	1.55	1.65	1.91	2.24	2.24	2.25	2.25	2.29	2.59
G.W.										
Model No.	CLM- 23235-04AA □	23235-05AA □	23235-06AA □	23235-07AA □	23235-08AA □	23235-09AA □	23235-10AA □	23235-11AA □	23235-12AA □	23235-13AA □
Depth =350	350	350	350	350	350	350	350	350	350	350
Shipping Dimension										
Complete	2.77	3.17	3.58	3.98	4.39	4.80	5.20	5.86	6.03	6.52
D.I.Y	1.6	1.68	1.88	2.09	2.29	2.54	2.79	3.04	2.59	2.78
G.W.										


Color choose : Fill number 5, 1 in the □

5 - RAL7035

1 - RAL9011

CLM-232xx-xxAA 19" WALL-MOUNT Rack

For Distributors & Under-Desk Mini Server Solutions



19" 232XX SERIES WALLMOUNT

Total Unit(U)	14	15	16	17	18	19	20	21	22	23	24
Total Height	686.3	730.75	775.2	819.65	864.1	908.55	953	997.45	1043.9	1086.35	1130.8
Width	600	600	600	600	600	600	600	600	600	600	600
Clearance Size (1U=44.45mm)	622.3	666.75	711.2	756.65	800.1	844.55	889	933.45	977.9	1022.35	1066.8
CLM-	23225-14AA	23225-15AA	23225-16AA	23225-17AA	23225-18AA	23225-19AA	23225-20AA	23225-21AA	23225-22AA	23225-23AA	23225-24AA
Depth =250	250	250	250	250	250	250	250	250	250	250	250
Dimension											
Complete	5.20	5.43	5.80	6.11	6.42	6.73	7.04	7.35	7.86	7.97	8.28
Complete	2.64	2.76	3.14	3.29	3.48	3.62	3.79	3.95	4.12	4.29	4.46
G.W.											
CLM-	23230-14AA	23230-15AA	23230-16AA	23230-17AA	23230-18AA	23230-19AA	23230-20AA	23230-21AA	23230-22AA	23230-23AA	23230-24AA
Depth =250	250	250	250	250	250	250	250	250	250	250	250
Shipping Dimension											
Complete	6.07	6.33	6.77	7.14	7.50	7.86	8.23	8.59	8.95	9.32	9.68
Complete	2.64	2.76	3.14	3.29	3.48	3.62	3.79	3.95	4.12	4.29	4.46
G.W.											
CLM-	23235-14AA	23235-15AA	23235-16AA	23235-17AA	23235-18AA	23235-19AA	23235-20AA	23235-21AA	23235-22AA	23235-23AA	23235-24AA
Depth =250	250	250	250	250	250	250	250	250	250	250	250
Shipping Dimension											
Complete	6.94	7.24	7.74	8.15	8.57	8.98	9.40	9.81	10.23	10.64	11.06
Complete	2.95	2.96	3.31	3.3	3.66	3.64	3.8	3.97	4.14	4.31	4.47
G.W.											

Color choose : Fill number 5, 1 in the





5 - RAL7035

1 - RAL9011

CLM-23240-xxAA
W600 X D400 X H(4U to 24U)

CLM-23245-xxAA
W600 X D450 X H(4U to 24U)

CLM-23250-xxAA
W600 X D500 X H(4U to 24U)



Component Parts	Num	Model No.
Roof & Bottom Panel	1	882228
Frame	2	882227
Vented Glass Door	1	882403
Side Panel	2	882226
Wall Hinger	2	612613
F-shaped mounting angle	2	612615
Washers of F-shaped	4	612590
Fixer for F-shaped & frame	2	612752
Self-tapping Screw 12#24	28	662127
Self-tapping Screw M4	4	662035-06
Self-tapping Washer Screw	12	612009-12
Cage Nut M6	12	882003-06

Dimension Table:

Total Unit(U)	4	5	6	7	8	9	10	11	12	13
Total Height (mm)	241.80	286.25	330.70	375.15	419.60	464.05	508.50	552.95	597.40	641.85
Width	600	600	600	600	600	600	600	600	600	600
Clearance Size (1U=44.45mm)	177.8	222.25	266.7	311.15	355.6	400.05	444.5	488.95	533.4	577.85
Model No.	CLM- 23240-04AA <input type="checkbox"/>	23240-05AA <input type="checkbox"/>	23240-06AA <input type="checkbox"/>	23240-07AA <input type="checkbox"/>	23240-08AA <input type="checkbox"/>	23240-09AA <input type="checkbox"/>	23240-10AA <input type="checkbox"/>	23240-11AA <input type="checkbox"/>	23240-12AA <input type="checkbox"/>	23240-13AA <input type="checkbox"/>
Depth =400	400	400	400	400	400	400	400	400	400	400
Shipping Dimension										
Complete	3.12	3.57	4.03	4.48	4.94	5.40	5.85	6.59	6.79	7.33
D.I.Y	1.71	1.98	2.11	2.52	2.52	2.71	2.79	3.04	3.26	3.78
G.W.										
Model No.	CLM- 23245-04AA <input type="checkbox"/>	23245-05AA <input type="checkbox"/>	23245-06AA <input type="checkbox"/>	23245-07AA <input type="checkbox"/>	23245-08AA <input type="checkbox"/>	23245-09AA <input type="checkbox"/>	23245-10AA <input type="checkbox"/>	23245-11AA <input type="checkbox"/>	23245-12AA <input type="checkbox"/>	23245-13AA <input type="checkbox"/>
Depth =450	450	450	450	450	450	450	450	450	450	450
Shipping Dimension										
Complete	3.46	3.96	4.48	4.98	5.48	6.00	6.50	7.32	7.54	8.15
D.I.Y	1.88	2.11	2.34	2.62	2.80	2.99	2.99	3.02	3.26	3.78
G.W.										
Model No.	CLM- 23250-04AA <input type="checkbox"/>	23250-05AA <input type="checkbox"/>	23250-06AA <input type="checkbox"/>	23250-07AA <input type="checkbox"/>	23250-08AA <input type="checkbox"/>	23250-09AA <input type="checkbox"/>	23250-10AA <input type="checkbox"/>	23250-11AA <input type="checkbox"/>	23250-12AA <input type="checkbox"/>	23250-13AA <input type="checkbox"/>
Depth =500	500	500	500	500	500	500	500	500	500	500
Shipping Dimension										
Complete	3.81	4.36	4.93	5.48	6.03	6.60	7.15	8.05	8.29	8.96
D.I.Y	2.12	2.34	2.57	2.88	3.07	3.07	3.26	3.27	3.26	3.78
G.W.										


Color choose : Fill number 5, 1 in the

5 - RAL7035

1 - RAL9011

CLM-232xx-xxAA 19" WALL-MOUNT Rack

For Distributors & Under-Desk Mini Server Solutions



19" 232XX SERIES WALLMOUNT

Total Unit(U)	14	15	16	17	18	19	20	21	22	23	24
Total Height	686.3	730.75	775.2	819.65	864.1	908.55	953	997.45	1043.9	1086.35	1130.8
Width	600	600	600	600	600	600	600	600	600	600	600
Clearance Size (1U=44.45mm)	622.3	666.75	711.2	756.65	800.1	844.55	889	933.45	977.9	1022.35	1066.8
CLM-	23240-14AA	23240-15AA	23240-16AA	23240-17AA	23240-18AA	23240-19AA	23240-20AA	23240-21AA	23240-22AA	23240-23AA	23240-24AA
Depth =400	400	400	400	400	400	400	400	400	400	400	400
Shipping Dimension											
Complete	7.80	8.14	8.70	9.17	9.64	10.10	10.57	11.03	11.50	11.97	12.43
Complete	3.14	4.05	3.52	3.53	3.9	3.89	4.07	4.25	4.43	4.61	4.79
G.W.											
CLM-	23245-14AA	23245-15AA	23245-16AA	23245-17AA	23245-18AA	23245-19AA	23245-20AA	23245-21AA	23245-22AA	23245-23AA	23245-24AA
Depth =450	450	450	450	450	450	450	450	450	450	450	450
Shipping Dimension											
Complete	8.67	9.05	9.67	10.19	10.71	11.23	11.75	12.26	12.78	13.30	13.82
Complete	4.13	4.36	4.63	4.88	4.53	4.57	4.78	4.99	5.2	5.42	5.62
G.W.											
CLM-	23250-14AA	23250-15AA	23250-16AA	23250-17AA	23250-18AA	23250-19AA	23250-20AA	23250-21AA	23250-22AA	23250-23AA	23250-24AA
Depth =500	500	500	500	500	500	500	500	500	500	500	500
Shipping Dimension											
Complete	9.53	9.95	10.63	11.20	11.77	12.34	12.91	13.48	14.05	14.62	15.19
Complete	4.13	4.36	4.63	4.88	5.13	5.01	5.01	5.01	5.2	5.42	5.62
G.W.											



Color choose : Fill number 5, 1 in the

5 - RAL7035

1 - RAL9011

CLM-23255-xxAA □
W600 X D550 X H(4U to 24U)

CLM-23260-xxAA □
W600 X D600 X H(4U to 24U)



Component Parts	Num	Model No.
Roof & Bottom Panel	1	882228
Frame	2	882227
Vented Glass Door	1	882403
Side Panel	2	882226
Wall Hinger	2	612613
F-shaped mounting angle	2	612615
Washers of F-shaped	4	612590
Fixer for F-shaped & frame	2	612752
Self-tapping Screw 12#24	28	662127
Self-tapping Screw M4	4	662035-06
Self-tapping Washer Screw	12	612009-12
Cage Nut M6	12	882003-06

Dimension Table:

Total Unit(U)	4	5	6	7	8	9	10	11	12	13
Total Height (mm)	241.80	286.25	330.70	375.15	419.60	464.05	508.50	552.95	597.40	641.85
Width	600	600	600	600	600	600	600	600	600	600
Clearance Size (1U=44.45mm)	177.8	222.25	266.7	311.15	355.6	400.05	444.5	488.95	533.4	577.85
Model No.	CLM- 23255-04AA □	23255-05AA □	23255-06AA □	23255-07AA □	23255-08AA □	23255-09AA □	23255-10AA □	23255-11AA □	23255-12AA □	23255-13AA □
Depth =550	550	550	550	550	550	550	550	550	550	550
Shipping Dimension										
Complete	4.15	4.76	5.37	5.98	6.58	7.20	7.80	8.79	9.05	9.78
D.I.Y	2.01	2.28	2.45	3.14	3.35	3.35	3.36	3.46	3.54	3.78
G.W.										
Model No.	CLM- 23260-04AA □	23260-05AA □	23260-06AA □	23260-07AA □	23260-08AA □	23260-09AA □	23260-10AA □	23260-11AA □	23260-12AA □	23260-13AA □
Depth =600	600	600	600	600	600	600	600	600	600	600
Shipping Dimension										
Complete	4.50	5.15	5.82	6.47	7.13	7.78	8.45	9.52	9.80	10.59
D.I.Y	2.15	2.48	2.65	3.4	3.63	3.63	3.64	3.65	3.72	4.08
G.W.										


Color choose : Fill number 5, 1 in the □

5 - RAL7035

1 - RAL9011

CLM-232XX-XXAA 19" WALL-MOUNT Rack

For Distributors & Under-Desk Mini Server Solutions



19" 232XX SERIES WALLMOUNT

Total Unit(U)	14	15	16	17	18	19	20	21	22	23	24
Total Height	686.3	730.75	775.2	819.65	864.1	908.55	953	997.45	1043.9	1086.35	1130.8
Width	600	600	600	600	600	600	600	600	600	600	600
Clearance Size (1U=44.45mm)	622.3	666.75	711.2	756.65	800.1	844.55	889	933.45	977.9	1022.35	1066.8
CLM-	23255-14AA	23255-15AA	23255-16AA	23255-17AA	23255-18AA	23255-19AA	23255-20AA	23255-21AA	23255-22AA	23255-23AA	23255-24AA
Depth =550	550	550	550	550	550	550	550	550	550	550	550
Dimension											
Complete	10.41	10.86	11.61	12.23	12.85	13.48	14.10	14.72	15.34	15.97	16.59
Complete	4.13	4.36	4.63	4.88	5.13	5.37	5.62	5.86	5.48	5.48	5.62
G.W.											
CLM-	23260-14AA	23260-15AA	23260-16AA	23260-17AA	23260-18AA	23260-19AA	23260-20AA	23260-21AA	23260-22AA	23260-23AA	23260-24AA
Depth =600	600	600	600	600	600	600	600	600	600	600	600
Shipping Dimension											
Complete	11.27	11.76	12.57	13.25	13.92	14.59	15.27	15.94	16.62	17.29	17.96
Complete	4.33	4.36	4.85	5.11	5.37	5.63	5.89	6.17	6.24	6.24	6.24
G.W.											

Color choose : Fill number 5, 1 in the





5 - RAL7035

1 - RAL9011

CLM-23260-xxAB□
W600 X D600 X H(12U to 24U)

CLM-23265-xxAB□
W600 X D650 X H(12U to 24U)

CLM-23270-xxAB□
W600 X D700 X H(12U to 24U)



Dimension Table:

Total Unit(U)	12	13	14	15	16	17	18	19
Total Height (mm)	663.4	707.85	752.3	796.75	841.2	885.65	930.1	974.55
Width	600	600	600	600	600	600	600	600
Clearance Size (1U=44.45mm)	533.4	577.85	622.3	666.75	711.2	755.65	800.1	844.55
Model No.	CLM- 23260-12AB	23260-13AB	23260-14AB	23260-15AB	23260-16AB	23260-17AB	23260-18AB	23260-19AB
Depth =600	600	600	600	600	600	600	600	600
Shipping Dimension								
Complete	9.80	10.59	11.27	11.76	12.57	13.25	13.92	14.59
D.I.Y	3.99	4.36	4.63	4.67	5.19	5.47	5.75	6.09
G.W.								
Model No.	CLM- 23265-12AB	23265-13AB	23265-14AB	23265-15AB	23265-16AB	23265-17AB	23265-18AB	23265-19AB
Depth =650	● 650	650	650	650	650	650	● 650	650
Shipping Dimension								
Complete	10.56	11.41	12.14	12.67	13.54	14.26	14.99	15.72
D.I.Y	4.28	4.68	4.97	5.03	5.57	5.87	6.17	6.46
G.W.								
Model No.	CLM- 23270-12AB	23270-13AB	23270-14AB	23270-15AB	23270-16AB	23270-17AB	23270-18AB	23270-19AB
Depth =700	700	700	700	700	700	700	700	700
Shipping Dimension								
Complete	11.31	12.22	13.01	13.57	14.51	15.28	16.06	16.84
D.I.Y	4.58	5.00	5.31	5.39	5.95	6.27	6.59	6.90
G.W.								

Color choose : Fill number 5, 1 in the

5 - RAL7035

1 - RAL9011

CLM-232xx-xxAB 19" WALL-MOUNT Rack For Distributors & Under-Desk Mini Server Solutions



19" 232XX SERIES WALLMOUNT

Total Unit(U)	20	21	22	23	24
Total Height	1019	1063.45	1107.9	1152.35	1196.8
Width	600	600	600	600	600
Clearance Size (1U=44.45mm)	889	933.45	977.9	1022.35	1066.8
CLM-	23260-20AB	23260-21AB	23260-22AB	23260-23AB	23260-24AB
Depth =600	600	600	600	600	600
Dimension					
Complete	15.27	15.94	16.62	17.29	17.96
Complete	6.3	6.6	6.76	6.76	6.76
G.W.					
CLM-	23265-20AB	23265-21AB	23265-22AB	23265-23AB	23265-24AB
Depth =650	650	● 650	650	650	● 650
Shipping Dimension					
Complete	16.44	17.17	17.89	18.62	19.35
Complete	6.76	7.08	7.25	7.25	7.25
G.W.					
CLM-	23270-20AB	23270-21AB	23270-22AB	23270-23AB	23270-24AB
Depth =700	700	700	700	700	700
Shipping Dimension					
Complete	17.62	18.40	19.17	19.95	20.73
Complete	7.22	7.56	7.74	7.74	7.74
G.W.					

Color choose : Fill number 5, 1 in the

5 - RAL7035

1 - RAL9011

Component Parts	Num	Model No.
Roof Panel	1	882365
Bottom Panel	1	882366
Frame	1	882227
	1	882404
Vented Glass Door	1	882403
Side Panel	2	882226
Rear Door	1	882405
Castor	4	882350
Crossbeam	2	612537
M-shaped Piece	4	612641
F-shaped mounting angle	4	612615
Washers of F-shaped	8	612590
Fixer for F-shaped & frame	2	612752
Self-tapping Screw 12#24	40	662127
Self-tapping Screw O 4	16	662125
Self-tapping Screw M4	4	662035-06
Self-tapping Washer Screw	12	612009-12
Cage Nut M6	12	882003-06

CLM-23275-xxAB □


W600 X D700 X H(12U to 24U)

CLM-23280-xxAB □

W600 X D800 X H(12U to 24U)

CLM-23285-xxAB □

W600 X D850 X H(12U to 24U)



Dimension Table:

Total Unit(U)	12	13	14	15	16	17	18	19
Total Height (mm)	663.4	707.85	752.3	796.75	841.2	885.65	930.1	974.55
Width	600	600	600	600	600	600	600	600
Clearance Size (1U=44.45mm)	533.4	577.85	622.3	666.75	711.2	755.65	800.1	844.55
Model No.	CLM- 23275-12AB	23275-13AB	23275-14AB	23275-15AB	23275-16AB	23275-17AB	23275-18AB	23275-19AB
Depth =750	750	750	750	750	750	750	750	750
Shipping Dimension								
Complete	12.06	13.03	13.87	14.48	15.47	16.30	17.13	17.96
D.I.Y	4.88	5.32	5.64	5.74	6.33	6.66	7.01	7.34
G.W.								
Model No.	CLM- 23280-12AB	23280-13AB	23280-14AB	23280-15AB	23280-16AB	23280-17AB	23280-18AB	23280-19AB
Depth =800	800	800	800	800	800	800	800	800
Shipping Dimension								
Complete	12.82	13.85	14.74	15.38	16.44	17.32	18.20	19.09
D.I.Y	5.13	5.63	5.98	6.10	6.71	7.06	7.43	7.78
G.W.								
Model No.	CLM- 23285-12AB	23285-13AB	23285-14AB	23285-15AB	23285-16AB	23285-17AB	23285-18AB	23285-19AB
Depth =850	● 850	850	850	850	850	850	● 850	850
Shipping Dimension								
Complete	13.57	14.66	15.61	16.29	17.41	18.34	19.27	20.21
D.I.Y	5.47	5.95	6.32	6.46	7.09	7.46	7.85	8.22
G.W.								

Color choose : Fill number 5, 1 in the □

5 - RAL7035

1 - RAL9011

CLM-232xx-xxAB 19" WALL-MOUNT Rack For Distributors & Under-Desk Mini Server Solutions



19" 232XX SERIES WALLMOUNT

Total Unit(U)	20	21	22	23	24
Total Height	1019	1063.45	1107.9	1152.35	1196.8
Width	600	600	600	600	600
Clearance Size (1U=44.45mm)	889	933.45	977.9	1022.35	1066.8
CLM- 23275-20AB	23275-21AB	23275-22AB	23275-23AB	23275-24AB	
Depth =750	750	750	750	750	750
Dimension					
Complete	18.79	19.62	20.45	21.28	22.11
Complete	7.68	8.04	8.23	8.23	8.23
G.W.					
CLM- 23280-20AB	23280-21AB	23280-22AB	23280-23AB	23280-24AB	
Depth =800	800	800	800	800	800
Shipping Dimension					
Complete	19.97	20.65	21.73	22.61	23.49
Complete	8.14	8.52	8.72	8.72	8.72
G.W.					
CLM- 23285-20AB	23285-21AB	23285-22AB	23285-23AB	23285-24AB	
Depth =850	850	● 850	850	850	● 850
Shipping Dimension					
Complete	21.14	22.07	23.01	23.94	24.88
Complete	8.60	9.01	9.22	9.22	9.22
G.W.					

Color choose : Fill number 5, 1 in the

5 - RAL7035

1 - RAL9011



Component Parts	Num	Model No.
Roof Panel	1	882365
Bottom Panel	1	882366
Frame	1	882227
	1	882404
Vented Glass Door	1	882403
Side Panel	2	882226
Rear Door	1	882405
Castor	4	882350
Crossbeam	2	612537
M-shaped Piece	4	612641
F-shaped mounting angle	4	612615
Washers of F-shaped	8	612590
Fixer for F-shaped & frame	2	612752
Self-tapping Screw 12#24	40	662127
Self-tapping Screw O 4	16	662125
Self-tapping Screw M4	4	662035-06
Self-tapping Washer Screw	12	612009-12
Cage Nut M6	12	882003-06

CLM-23230-xxAC □
W600 X D300 X H(6U to 24U)

CLM-23235-xxAC □
W600 X D350 X H(6U to 24U)

CLM-23240-xxAC □
W600 X D400 X H(6U to 24U)

CLM-23245-xxAC □
W600 X D450 X H(6U to 24U)



Component Parts	Num	Model No.
Roof Panel	1	882401
Bottom Panel	1	882402
Frame	2	882227
Vented Glass Door	1	882403
Side Panel	2	882226
Rear Panel	1	612773
Brush Strip	2	882364
F-shaped mounting angle	2	612615
Washers of F-shaped	4	612590
Fixer for F-shaped & frame	2	612752
Self-tapping Screw 12#24	33	662127
Self-tapping Screw M4	4	662035-06
Self-tapping Washer Screw	12	612009-12
Cage Nut M6	12	882003-06

Dimension Table:

Total Unit(U)	6	7	8	9	10	11	12	13	14
Total Height (mm)	330.70	375.15	419.60	464.05	508.50	552.95	597.40	641.85	686.3
Width	600	600	600	600	600	600	600	600	600
Clearance Size (1U=44.45mm)	266.7	311.15	355.6	400.05	444.5	488.95	533.4	577.85	622.3
Model No.	CLM- 23230-06AC	23230-07AC	23230-08AC	23230-09AC	23230-10AC	23230-11AC	23230-12AC	23230-13AC	23230-14AC
Depth =300	300	300	300	300	300	300	300	300	300
Shipping Dimension									
Complete	3.12	3.49	3.84	4.20	4.55	5.13	5.28	5.71	6.07
D.I.Y	1.92	2.23	2.69	2.69	2.7	2.71	2.75	3.12	3.17
G.W.									
Model No.	CLM- 23235-06AC	23235-07AC	23235-08AC	23235-09AC	23235-10AC	23235-11AC	23235-12AC	23235-13AC	23235-14AC
Depth =350	350	350	350	350	350	350	350	350	350
Shipping Dimension									
Complete	3.58	3.96	4.39	4.80	5.20	5.86	6.03	6.52	6.94
D.I.Y	2.19	2.43	2.57	2.86	3.13	3.41	3.12	3.34	3.54
G.W.									
Model No.	CLM- 23240-06AC	23240-07AC	23240-08AC	23240-09AC	23240-10AC	23240-11AC	23240-12AC	23240-13AC	23240-14AC
Depth =400	● 400	400	400	● 400	400	400	● 400	400	400
Shipping Dimension									
Complete	4.03	4.48	4.94	5.40	5.85	6.59	6.79	7.33	7.80
D.I.Y	2.45	2.83	2.83	3.05	3.13	3.41	3.67	4.25	3.79
G.W.									
Model No.	CLM- 23245-06AC	23245-07AC	23245-08AC	23245-09AC	23245-10AC	23245-11AC	23245-12AC	23245-13AC	23245-14AC
Depth =450	450	450	450	450	450	450	450	450	450
Shipping Dimension									
Complete	4.48	4.98	5.48	6.00	6.50	7.32	7.54	8.15	8.67
D.I.Y	2.72	3.05	3.14	3.36	3.36	3.39	3.67	4.25	4.65
G.W.									

Color choose : Fill number 5, 1 in the □

5 - RAL7035

1 - RAL9011

CLM-232xx-xxAC 19" WALL-MOUNT Rack

For Distributors & Under-Desk Mini Server Solutions



19" 232XX SERIES WALLMOUNT

Total Unit(U)	15	16	17	18	19	20	21	22	23	24
Total Height	730.75	775.2	819.65	864.1	908.55	953	997.45	1043.9	1086.35	1130.8
Width	600	600	600	600	600	600	600	600	600	600
Clearance Size (1U=44.45mm)	666.75	711.2	756.65	800.1	844.55	889	933.45	977.9	1022.35	1066.8
CLM-	23230-15AA	23230-16AA	23230-17AA	23230-18AA	23230-19AA	23230-20AA	23230-21AA	23230-22AA	23230-23AA	23230-24AA
Depth =300	300	300	300	300	300	300	300	300	300	300
Dimension										
Complete	6.33	6.77	7.14	7.50	7.86	8.23	8.59	8.95	9.32	9.68
Complete	3.31	3.78	3.95	4.15	4.35	4.55	4.75	4.95	5.15	5.35
G.W.										
CLM-	23235-15AA	23235-16AA	23235-17AA	23235-18AA	23235-19AA	23235-20AA	23235-21AA	23235-22AA	23235-23AA	23235-24AA
Depth =350	350	350	350	350	350	350	350	350	350	350
Shipping Dimension										
Complete	7.24	7.74	8.15	8.57	8.98	9.40	9.81	10.23	10.64	11.06
Complete	3.56	3.97	3.97	4.4	4.37	4.57	4.77	4.97	5.18	5.38
G.W.										
CLM-	23240-15AA	23240-16AA	23240-17AA	23240-18AA	23240-19AA	23240-20AA	23240-21AA	23240-22AA	23240-23AA	23240-24AA
Depth =400	400	400	400	400	400	400	400	400	400	400
Shipping Dimension										
Complete	8.14	8.70	9.17	9.64	10.10	10.57	11.03	11.50	11.97	12.43
Complete	4.64	4.23	4.24	4.69	4.67	4.89	5.1	5.32	5.54	5.75
G.W.										
CLM-	23245-15AA	23245-16AA	23245-17AA	23245-18AA	23245-19AA	23245-20AA	23245-21AA	23245-22AA	23245-23AA	23245-24AA
Depth =450	450	450	450	450	450	450	450	450	450	450
Shipping Dimension										
Complete	9.05	9.67	10.19	10.71	11.23	11.75	12.26	12.78	13.30	13.82
Complete	4.91	5.21	5.49	5.2	5.24	5.48	5.72	5.96	6.21	6.45
G.W.										

Color choose : Fill number 5, 1 in the



5 - RAL7035

1 - RAL9011

CLM-23250-xxAC □
W600 X D500 X H(6U to 24U)

CLM-23255-xxAC □
W600 X D550 X H(6U to 24U)

CLM-23260-xxAC □
W600 X D600 X H(6U to 24U)



Component Parts	Num	Model No.
Roof Panel	1	882401
Bottom Panel	1	882402
Frame	2	882227
Vented Glass Door	1	882403
Side Panel	2	882226
Rear Panel	1	612773
Brush Strip	2	882364
F-shaped mounting angle	2	612615
Washers of F-shaped	4	612590
Fixer for F-shaped & frame	2	612752
Self-tapping Screw 12#24	33	662127
Self-tapping Screw M4	4	662035-06
Self-tapping Washer Screw	12	612009-12
Cage Nut M6	12	882003-06

Dimension Table:

Total Unit(U)	6	7	8	9	10	11	12	13	14
Total Height (mm)	330.70	375.15	419.60	464.05	508.50	552.95	597.40	641.85	686.3
Width	600	600	600	600	600	600	600	600	600
Clearance Size (1U=44.45mm)	266.7	311.15	355.6	400.05	444.5	488.95	533.4	577.85	622.3
Model No. CLM-	23250-06AC	23250-07AC	23250-08AC	23250-09AC	23250-10AC	23250-11AC	23250-12AC	23250-13AC	23250-14AC
Depth =500	● 500	500	500	● 500	500	500	● 500	500	500
Shipping Dimension									
Complete	4.93	5.48	6.03	6.60	7.15	8.05	8.29	8.96	9.53
D.I.Y	2.99	3.35	3.46	3.46	3.67	3.68	3.68	4.25	4.65
G.W.									
Model No. CLM-	23255-06AC	23255-07AC	23255-08AC	23255-09AC	23255-10AC	23255-11AC	23255-12AC	23255-13AC	23255-14AC
Depth =550	550	550	550	550	550	550	550	550	550
Shipping Dimension									
Complete	5.37	5.98	6.56	7.20	7.80	8.79	9.05	9.78	10.41
D.I.Y	2.91	3.65	3.77	3.77	3.78	3.89	3.98	4.25	4.65
G.W.									
Model No. CLM-	23260-06AC	23260-07AC	23260-08AC	23260-09AC	23260-10AC	23260-11AC	23260-12AC	23260-13AC	23260-14AC
Depth =600	600	600	600	600	600	600	600	600	600
Shipping Dimension									
Complete	5.82	6.47	7.13	7.80	8.45	9.52	9.80	10.59	11.27
D.I.Y	3.15	3.96	4.08	4.08	4.09	4.11	4.19	4.58	4.86
G.W.									

Color choose : Fill number 5, 1 in the □
 5 - RAL7035
 1 - RAL9011

CLM-232xx-xxAC 19" WALL-MOUNT Rack

For Distributors & Under-Desk Mini Server Solutions



19" 232XX SERIES WALLMOUNT

Total Unit(U)	15	16	17	18	19	20	21	22	23	24
Total Height	730.75	775.2	819.65	864.1	908.55	953	997.45	1043.9	1086.35	1130.8
Width	600	600	600	600	600	600	600	600	600	600
Clearance Size (1U=44.45mm)	666.75	711.2	756.65	800.1	844.55	889	933.45	977.9	1022.35	1066.8
CLM-	23250-15AA	23250-16AA	23250-17AA	23250-18AA	23250-19AA	23250-20AA	23250-21AA	23250-22AA	23250-23AA	23250-24AA
Depth =500	● 500	500	500	● 500	500	500	● 500	500	500	500
Dimension										
Complete	9.95	10.63	11.20	11.77	12.34	12.91	13.48	14.05	14.62	15.19
Complete	4.91	5.21	5.48	5.77	5.74	5.74	5.74	5.96	6.12	6.45
G.W.										
CLM-	23255-15AA	23255-16AA	23255-17AA	23255-18AA	23255-19AA	23255-20AA	23255-21AA	23255-22AA	23255-23AA	23255-24AA
Depth =550	550	550	550	550	550	550	550	550	550	550
Shipping Dimension										
Complete	10.86	11.61	12.23	12.85	13.48	14.10	14.72	15.34	15.97	16.59
Complete	4.91	5.21	5.49	5.77	6.04	6.32	6.59	6.28	6.28	6.45
G.W.										
CLM-	23260-15AA	23260-16AA	23260-17AA	23260-18AA	23260-19AA	23260-20AA	23260-21AA	23260-22AA	23260-23AA	23260-24AA
Depth =600	600	600	600	600	600	600	600	600	600	600
Shipping Dimension										
Complete	11.76	12.57	13.25	13.92	14.59	15.27	15.94	16.62	17.29	17.96
Complete	4.91	5.46	5.74	6.04	6.33	6.62	6.93	7.15	7.15	7.15
G.W.										

Color choose : Fill number 5, 1 in the

5 - RAL7035

1 - RAL9011