



Model	Content CharsXLines	Module size W x H(mm)	View area W x H(mm)	Dot size W x H(mm)	Character size W x H(mm)	Driving Method	Controller LSI or Equiv
點陣型 (GRAPHIC)							
BT-G12232A	122X32	84X44	60X18.5	0.36X0.42	0.40X0.46	1/32	SBN1661G_18
BT-G12232C	122X32	76.4X29.1	60.7X21	0.36X0.41	0.4X0.45	1/32	SBN1661G_18
BT-G12832A	128X32	110X65	77.6X24.6	0.53X0.53	0.57X0.57	1/32	S6B0108A
BT-T12832B	128X32	90X32.5	60X18	0.36X0.42	0.40X0.46	1/32	SBN1661G_18
BT-G12864A	128X64	78X70	62X44	0.39X0.55	0.44X0.6	1/64	S6B0108A
BT-G12864C	128X64	93X70	72X40	0.48X0.48	0.52X0.52	1/64	S6B0108A
BT-G12864D	128X64	113X65	72X40	0.48X0.48	0.52X0.52	1/64	S6B0108A
BT-G12864D-C	128X64	113X65	72X40	0.48X0.48	0.52X0.52	1/64	S6B0108A
BT-G12864E	128X64	93X70	72X40	0.48X0.48	0.52X0.52	1/64	S6B0108A
BT-G12864G	128X64	113X65	73.4X38.8	0.458X0.458	0.508X0.508	1/64	S6B0108A
BT-G12864I	128X64	54X50	43.5X29	0.28X0.35	0.32X0.39	1/64	S6B0108A
BT-G12864A-C-2	128X64	78X70	62X44	0.39X0.55	0.44X0.6	1/64	S6B0108A
BT-G12864A-C-3	128X64	78X70	62X44	0.39X0.55	0.44X0.6	1/64	S6B0108A
BT-G12864A-C-4	128X64	78X70	62X44	0.39X0.55	0.44X0.6	1/64	S6B0108A
BT-G24064A	240X64	180X65	132X39	0.49X0.49	0.53X0.53	1/64	T6963C
BT-G24064B	240X64	180X65	132X39	0.49X0.49	0.53X0.53	1/64	T6963C
BT-T24064A	240X64	180X65	132X39	0.49X0.49	0.53X0.53	1/64	RA8803
BT-G240128A	240X128	144X104	114X64	0.4X0.4	0.5X0.5	1/128	T6963C
BT-G240128B	240X128	144X104	114X64	0.4X0.4	0.5X0.5	1/128	T6963C
BT-G240128B-1	240X128	144X104	114X64	0.4X0.4	0.5X0.5	1/128	T6963C
BT-G240128C	240X128	144X104	114X64	0.4X0.4	0.5X0.5	1/128	T6963C
BT-T240128C	240X128	144X104	114X64	0.4X0.4	0.45X0.45	1/128	RA8803
BT-G320240A	320X240	160X109	122X92	0.33X0.33	0.36X0.36	1/240	RA8835
BT-T320240A	320X240	160X109	122X92	0.33X0.33	0.36X0.36	1/240	RA8803
BT-G320240A-COG	320X240	160X108.9	119.7X91	0.345X0.345	0.36X0.36	1/240	NT7702
BT-T320240A-T(TOUCH)	320X240	160X109	122X92	0.33X0.33	0.36X0.36	1/240	RA8806L2N-5

Model	Content CharsXLines	Module size W x H(mm)	View area W x H(mm)	Dot size W x H(mm)	Character size W x H(mm)	Driving Method	Controller LSI or Equiv
中文點陣型 GRAPHIC-FOR CHINESE							
BT-T12232F	122X32	76.2X38	60X18.5	0.36X0.41	0.4X0.45	1/32	ST7920 中文字庫
BT-T12232A	122X32	84X44	60X18.5	0.36X0.41	0.4X0.45	1/32	ST7920 中文字庫
BT-T14432A	144X32	84X36	65X16	0.39X0.39	0.42X0.42	1/32	ST7920 中文字庫
BT-T12864E	128X64	93X70	72X40	0.48X0.48	0.52X0.52	1/32	ST7920 中文字庫
BT-T12864F	128X64	78X70	62X44	0.39X0.55	0.44X0.6	1/32	ST7920 中文字庫
BT-T12864G	128X64	113X65	73.4X38.8	0.48X0.48	0.52X0.52	1/32	ST7920 中文字庫
BT-T12864H	128X64	87.5X70	72X40	0.48X0.48	0.52X0.52	1/32	ST7920 中文字庫
BT-T12864I	128X64	93X70	72X40	0.48X0.48	0.52X0.52	1/32	ST7920 中文字庫
BT-T16032A	160X32	116X35	83X18.6	0.44X0.44	0.48X0.48	1/32	ST7920 中文字庫
BT-T16032B	160X32	122X44	99X24	0.51X0.52	0.56X0.57	1/32	ST7920 中文字庫
BT-T19264A	192X64	120X62	100X37	0.46X0.47	0.5X0.51	1/32	ST7920 中文字庫
BT-T19264B	192X64	130X65	104X39	0.46X0.46	0.51X0.51	1/32	ST7920 中文字庫